

SERVER DELL POWEREDGE R250 XEON E-2314 4C 1X16GB 1X480GB 450W 3YRNaziv: SERVER DELL POWEREDGE R250 XEON E-2314 4C
1X16GB 1X480GB 450W 3YR

Slika:



Šifra: #BM512111734062650582

Barkod:

Proizvođač: DELL

Detalji

Kategorija: SERVERI

Oznake:

Atributi:

CenaCena sa PDV: 256,411.00 RSD *WEB CENA
282,052.10 RSD *Cena za odloženo web plaćanje**Ostalo**

Opis:

Basic data	
Item name	DELL PowerEdge R250 server 480 GB Rack (1U) Intel Xeon E E-2314 2.8 GHz 16 GB DDR4-SDRAM 450 W
Product symbol	emea_per250spl2
Hierarchy by CATEGORY	<ul style="list-style-type: none">Computers & PeripheralsComputersServers
Hierarchy by MANUFACTURER	<ul style="list-style-type: none">Dell
Package sizes (HxWxL)	920 x 250 x 600 mm
Weight gross	15 kg
Other features	
Data transfer rate	<ul style="list-style-type: none">6.00 Gb/s

Bytes per sector	<ul style="list-style-type: none"> • 512
Weight & dimensions	
Height	<ul style="list-style-type: none"> • 42.80 millimeter
Width	<ul style="list-style-type: none"> • 482.00 millimeter
Weight	<ul style="list-style-type: none"> • 12480.00 gram
Power	
Power supply	<ul style="list-style-type: none"> • 450.00 W
Power cable current	<ul style="list-style-type: none"> • 10.00 A
Power cable connector 1	<ul style="list-style-type: none"> • C13 coupler
Power cable connector 2	<ul style="list-style-type: none"> • C14 coupler
Power cable length	<ul style="list-style-type: none"> • 2.00 meter
Software	
Compatible operating systems	<ul style="list-style-type: none"> • Canonical® Ubuntu® Server LTS Citrix® Hypervisor Microsoft® Windows Server® with Hyper-V RedHat® Enterprise Linux SUSE® Linux Enterprise Server VMware® ESXi®
Operating system installed	<ul style="list-style-type: none"> • No
Carbon footprint	
Total carbon footprint (kg of CO2e)	<ul style="list-style-type: none"> • 2100
icecat_automatic_47440_305	<ul style="list-style-type: none"> • 935
icecat_automatic_47441_305	<ul style="list-style-type: none"> • 505
Carbon emissions, logistics (kg of CO2e)	<ul style="list-style-type: none"> • 110
Carbon emissions, energy usage (kg of CO2e)	<ul style="list-style-type: none"> • 1470

icecat_automatic_47444_305	<ul style="list-style-type: none"> • 17
icecat_automatic_47445_305	<ul style="list-style-type: none"> • 632
icecat_automatic_47446_305	<ul style="list-style-type: none"> • 1.3.2, 2022
Design	
Chassis type	<ul style="list-style-type: none"> • Rack (1U)
Product color	<ul style="list-style-type: none"> • Black
Storage	
Optical drive type	<ul style="list-style-type: none"> • No
Total storage capacity	<ul style="list-style-type: none"> • 480.00 GB
SSD size	<ul style="list-style-type: none"> • 2.5"
Supported SSD sizes	<ul style="list-style-type: none"> • 3.5"
SSD interface	<ul style="list-style-type: none"> • SATA III
SSD capacity	<ul style="list-style-type: none"> • 480.00 GB
Memory	
Internal memory	<ul style="list-style-type: none"> • 16.00 GB
Maximum internal memory	<ul style="list-style-type: none"> • 128.00 GB
Memory clock speed	<ul style="list-style-type: none"> • 3200.00 MHz
Buffered memory type	<ul style="list-style-type: none"> • Unregistered (unbuffered)
Internal memory type	<ul style="list-style-type: none"> • DDR4-SDRAM
Memory slots	<ul style="list-style-type: none"> • 4x DIMM
Memory layout (slots x size)	<ul style="list-style-type: none"> • 1 x 16 GB
Network	

Ethernet interface type	<ul style="list-style-type: none">Gigabit Ethernet
Cabling technology	<ul style="list-style-type: none">10/100/1000Base-T(X)
LAN controller	<ul style="list-style-type: none">Broadcom 5719
Processor	
Processor cache	<ul style="list-style-type: none">8.00 MB
Processor manufacturer	<ul style="list-style-type: none">Intel
Processor frequency	<ul style="list-style-type: none">2.80 GHz
Processor family	<ul style="list-style-type: none">Intel Xeon E
Processor boost frequency	<ul style="list-style-type: none">4.50 GHz
Processor model	<ul style="list-style-type: none">E-2314
Performance	
Remote administration	