

**BLACKVIEW MP100 AMD R7 5825U/16GB/512GB/1XHDMI+1XDP/RJ45/BT/WIFI/W11P BLACK**

Naziv: BLACKVIEW MP100 AMD R7  
5825U/16GB/512GB/1XHDMI+1XDP/RJ45/BT/WIFI/W11P  
BLACK

Slika:



Šifra: #BM12512071734667513902

Barkod: 6931548319405

Proizvođač: BLACKVIEW

**Detalji**

Kategorija: MINI PC

Oznake: **NEMA NA STANJU**

Atributi:

**Cena**

Cena sa PDV: 50,449.00 RSD \*WEB CENA  
55,493.90 RSD \*Cena za odloženo web plaćanje

**Ostalo**

Opis:

**BlackView MP100 AMD R7  
5825U/16GB/512GB/1xHDMI+1xDP/RJ45/BT/WIFI/W11P  
Black**

Product  
Appearance

Type

Spec.

Standard Configuration

Product

Product Type

MINI PC

Dimension

127\*127\*45mm

Case Material

Plastic+Metals

System

Hardware Configuration			
Type	Spec.	Description	
CPU	Model	AMD Ryzen™ 7 5700U	
	Lithography	TSMC 7nm FinFET	
	Total Cores	8 Core , 16 Threads	
	Cache	L2 cache 4MB , L3 cache 8MB	
	Speed	1.8GHz	
	Max. Turbo Speed	4.3 GHz	
	Power Consumption	25W	
	GPU	Model	AMD Radeon™ Graphics
	Cores	8 Core	
Speed	1900MHz		
	Max Resolution	Max Resolution (HDMI) 3840x2160@60Hz , Max Resolution (DP) 3840x2160@144Hz , Max Resolution (Type C) 3840x2160@60Hz	
Memory	Model	2*SODIMM LPDDR4 ( Up to 64GB )	
	Speed	3200MHz	
	Capacity	DDR4 Flush-mount , single channel 16GB / Dual channel 32GB	
Storage	SSD	512GB&1TB ( M.2 2280 PCIe3.0 SSD )	
	Interface type	1* M.2 2280 NVME +1*NVME/SATA3.0 , Up to	

	Interface type	2TB
	2.5" SSD	Optional, 2.5 inch 7mm SATA port SSD/HDD, Max 2TB
RTC	BIOS	Real-time Clock, Time Boot
Auto Power On	BIOS	Support auto power on after electrified
Diskless Network	BIOS	Support uefi/Legacy Diskless Switch On
TPM	CPU integratesTPM	Support TPM 2.0
multi-screen display	Video Output	In the system, HDMI1+DP two-screen display and Type-C three-screen display are supported ( Any Type-C port, but does not support dual Type-C simultaneous display )
Heat-dissipating method	Heat-dissipating method	Copper tube + copper fin + fan
FAN	FAN	5V~0.5A/2.5W /Rated Speed2250rpm
LED	State	Button light: blue light running, red light sleeping, atmosphere light: running breathing color RGB (The ambient light is not adjustable and cannot be turned off)
Internet Connection		
Type	Spec.	Description
WIFI	Model	M.2 E_Key
	Protocol	IEEE 802.11 a, b/g, n, ac,ax
Bluetooth	Model	M.2 E_Key

	Protocol	Support Bluetooth 5.2
3G	Built-in	No
4G	Built-in	No
Ethernet	LAN1	10M/100M/1000M Self-adaption
I/O		
Type	Spec.	Description
USB	USB2.0	USB2.0 Type-A*1 480Mbps
USB	USB3.0	USB3.2 Gen2 Type-A*2 10Gbps
TF	Expansion Memory	No
HDMI	AV Output	HDMI 2.0b ( Max 4K 60HZ)*1
DP	AV Output	DP1.4 ( Max 4K 144HZ)*1
VGA	Video Output	No
RJ45	Gigabyte Ethernet	RJ45 1000Mbps *1 Self-adaption
Type C	Data Transmission	Type_C *2(full-featured)10Gbps/Max 4K 60HZ
POWER	Power Button	x1
DC IN	Power Supply Input	5.5/2.1mm DC Jack x1
Audio-in/out	Audio-in/out	3.5mm Phone Jack x1 ( Two-in-one interface )
Antenna1	FPC Antenna	WiFi 2.4+5G+BT x1

Antenna2	FPC Antenna	WIFI 6.0
SIM	Micro SIM	No Supporting
Software Configuration		
Type	Spec.	Description
OS	Version	Win11 pro
Environment		
Type	Spec.	Description
Environment	Working Temperature	0~40°C
	Memory Temperature	-20~60°C
	Humidity	90% @ 40 °C (No Condensation)