

**MATICNA PLOCA GIGABYTE B650E AORUS STEALTH ICE WI-FI 7 DDR5 AM5 ATX**Naziv: MATICNA PLOCA GIGABYTE B650E AORUS STEALTH ICE  
WI-FI 7 DDR5 AM5 ATX

Slika:



Šifra: #BM811801743649492393

Barkod: 4719331863777

Proizvođač: GIGABYTE

**Detalji**

Kategorija: MATIČNE PLOČE

Oznake: NOVO

Atributi:

**Cena**Cena sa PDV: 41,990.00 RSD \*WEB CENA  
46,189.00 RSD \*Cena za odloženo web plaćanje**Ostalo**

Opis:

Procesorsko ležište (socket)	AMD AM5
Čipset	AMD B650
Tip memorije	DDR5
Memorijski slotovi	4
Podržane memorije	6.000MT/s (O.C.), 7.200MT/s (O.C.), 7.000MT/s (O.C.), 6.800MT/s (O.C.), 6.600MT/s (O.C.), 6.400MT/s (O.C.), 6.200MT/s (O.C.), 5.200MT/s, 4.800MT/s, 7.600MT/s (O.C.), 5.600MT/s (O.C.), 8.000MT/S (O.C.), 7.800MT/s (O.C.), 6.666MT/s (O.C.), 4.400MT/s
Maksimalna ukupna memorija	256GB
	Podrška za Unbuffered ECC memoriju, Podrška za Extreme Memory Profile

Ostale osobine	(XMP), Dvokanalni (Dual-channel) režim rada memorije, Podrška za non-ECC UDIMM memory, Podrška za AMD EXTENDED Profiles for Overclocking (EXPO)
PCI Express x16 slot	1x PCI Express 5.0 (x16 mode), 1x PCI Express 4.0 (x4 mode), 1x PCI Express 4.0 (x8 mode)
SATA priključci (ukupno)	4
SATA priključci	SATA III 6Gbps
Broj M.2 slotova	6
Podržani M.2 formati	1x 2280 / 2580 / 22110 / 25110 (podrška za PCIe 5.0 x4/x2 mod), 2x 2280 / 22110 (podrška za PCIe 4.0 x4/x2 mod)
Žična mreža (LAN)	2.5GBase-T (Gigabit)
Model	Realtek
Wi-Fi	Da
Wi-Fi standard	Wi-Fi 7 (802.11be)
Bluetooth	Da
Bluetooth verzija	5.4
Broj kanala	8 (7.1)
Model	Realtek
Napomena	High Definition
DisplayPort priključci	Da preko USB-C
Broj HDMI priključaka	1
HDMI priključci	1x HDMI 2.1
Ukupno USB priključaka	12
Ukupno USB-C priključaka	1
USB-A priključci	2x USB 10Gbps (3.2 Gen 2), 4x USB 2.0, 5x USB 5Gbps (3.2 Gen 1)
USB-C priključci	1x USB 10Gbps (3.2 Gen 2)
RJ-45 (LAN)	1
Audio	3x 3.5mm
Ostali priključci	1 x Q-Flash Plus button, 2x SMA antenna connectors (2T2R)

Naponski priključci	1x 24-pin ATX main power connector, 1 x 8-pin ATX 12V power connector
USB-A	2 x podrška za 1 USB 2.0 port, 1 x podrška za 1 USB 5Gbps port
USB-C	1 x podrška za 1 USB 20Gbps port
Audio	1x Front panel audio, 1x Front panel header
Ostali priključci	1 x Clear CMOS jumper, 1 x Trusted Platform Module (TPM), 4 x SATA 6Gb/s, 1 x RGB LED strip header, 1x CPU fan/water cooling pump header, 1x HDMI port, 1 x reset jumper, 3 x M.2 Socket 3 connectors, 1 x reset button, 1 x system fan/water cooling pump headers, 3 x system fan headers, 2x addressable RGB Gen2 LED strip headers, 1x CPU Fan header
Format	ATX
Dimenzije	305mm x 245mm
Prava potrošača:	36 meseci
EAN:	4719331863777