

**SERVER DELL POWEREDGE T150 XEON E-2314 4C 1X16GB 1X2TB SATA 300W**

Naziv: SERVER DELL POWEREDGE T150 XEON E-2314 4C  
1X16GB 1X2TB SATA 300W

Slika:



Šifra: #BM512111743735907243

Barkod: 5397184842171

Proizvođač: DELL

**Detalji**

Kategorija: SERVERI

Oznake: NOVO

Atributi:

**Cena**

Cena sa PDV: 201,204.00 RSD \*WEB CENA  
221,324.40 RSD \*Cena za odloženo web plaćanje

**Ostalo**

Opis:

| Basic data                |                                                                                                                            |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Item name                 | PowerEdge T150,<br>Chassis 4 x 3.5", Xeon<br>E-2314, 16GB UDIMM,<br>1x2TB, Broadcom 5720<br>Dual Port, iDRAC9 Basic<br>15G |
| Product symbol            | 3CHHT                                                                                                                      |
| Hierarchy by CATEGORY     | <ul style="list-style-type: none"><li>Computers &amp; Peripherals</li><li>Computers</li><li>Servers</li></ul>              |
| Hierarchy by MANUFACTURER | <ul style="list-style-type: none"><li>Dell</li></ul>                                                                       |
| Package sizes (HxWxL)     | 380 x 500 x 570 mm                                                                                                         |
| Weight gross              | 11.30 kg                                                                                                                   |
| Other features            |                                                                                                                            |
|                           |                                                                                                                            |

|                                          |                                                                                                                                                                                             |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Data transfer rate                       | <ul style="list-style-type: none"> <li>6.00Gb/s</li> </ul>                                                                                                                                  |
| Bytes per sector                         | <ul style="list-style-type: none"> <li>512n</li> </ul>                                                                                                                                      |
| Weight & dimensions                      |                                                                                                                                                                                             |
| Height                                   | <ul style="list-style-type: none"> <li>360.00millimeter</li> </ul>                                                                                                                          |
| Width                                    | <ul style="list-style-type: none"> <li>175.00millimeter</li> </ul>                                                                                                                          |
| Depth                                    | <ul style="list-style-type: none"> <li>453.75millimeter</li> </ul>                                                                                                                          |
| Weight                                   | <ul style="list-style-type: none"> <li>11680.00gram</li> </ul>                                                                                                                              |
| Power                                    |                                                                                                                                                                                             |
| Power supply                             | <ul style="list-style-type: none"> <li>300.00W</li> </ul>                                                                                                                                   |
| Power supply input voltage               | <ul style="list-style-type: none"> <li>250 V</li> </ul>                                                                                                                                     |
| Power cable current                      | <ul style="list-style-type: none"> <li>10.00A</li> </ul>                                                                                                                                    |
| Power cable connector 1                  | <ul style="list-style-type: none"> <li>C13 coupler</li> </ul>                                                                                                                               |
| Power cable length                       | <ul style="list-style-type: none"> <li>2.00meter</li> </ul>                                                                                                                                 |
| Software                                 |                                                                                                                                                                                             |
| Compatible operating systems             | <ul style="list-style-type: none"> <li>Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server Citrix Hypervisor Canonical Ubuntu Server LTS</li> </ul> |
| Operating system installed               | <ul style="list-style-type: none"> <li>No</li> </ul>                                                                                                                                        |
| Carbon footprint                         |                                                                                                                                                                                             |
| Total carbon footprint (kg of CO2e)      | <ul style="list-style-type: none"> <li>2230</li> </ul>                                                                                                                                      |
| icecat_automatic_47440_305               | <ul style="list-style-type: none"> <li>1010</li> </ul>                                                                                                                                      |
| icecat_automatic_47441_305               | <ul style="list-style-type: none"> <li>457</li> </ul>                                                                                                                                       |
| Carbon emissions, logistics (kg of CO2e) | <ul style="list-style-type: none"> <li>139</li> </ul>                                                                                                                                       |

|                                             |                                                                             |
|---------------------------------------------|-----------------------------------------------------------------------------|
|                                             |                                                                             |
| Carbon emissions, energy usage (kg of CO2e) | <ul style="list-style-type: none"> <li>1610</li> </ul>                      |
| icecat_automatic_47444_305                  | <ul style="list-style-type: none"> <li>21</li> </ul>                        |
| icecat_automatic_47445_305                  | <ul style="list-style-type: none"> <li>617</li> </ul>                       |
| icecat_automatic_47446_305                  | <ul style="list-style-type: none"> <li>1.3.2, 2022</li> </ul>               |
| Design                                      |                                                                             |
| Chassis type                                | <ul style="list-style-type: none"> <li>Rack (4U)</li> </ul>                 |
| Product color                               | <ul style="list-style-type: none"> <li>Black</li> </ul>                     |
| Storage                                     |                                                                             |
| Optical drive type                          | <ul style="list-style-type: none"> <li>No</li> </ul>                        |
| HDD size                                    | <ul style="list-style-type: none"> <li>3.5</li> </ul>                       |
| Total storage capacity                      | <ul style="list-style-type: none"> <li>2000.00GB</li> </ul>                 |
| HDD speed                                   | <ul style="list-style-type: none"> <li>7200</li> </ul>                      |
| Supported HDD sizes                         | <ul style="list-style-type: none"> <li>3.5</li> </ul>                       |
| HDD capacity                                | <ul style="list-style-type: none"> <li>2000.00GB</li> </ul>                 |
| HDD interface                               | <ul style="list-style-type: none"> <li>SATA III</li> </ul>                  |
| Memory                                      |                                                                             |
| Internal memory                             | <ul style="list-style-type: none"> <li>16.00GB</li> </ul>                   |
| Maximum internal memory                     | <ul style="list-style-type: none"> <li>128.00GB</li> </ul>                  |
| icecat_automatic_37536_3                    | <ul style="list-style-type: none"> <li>3200 MT/s</li> </ul>                 |
| Buffered memory type                        | <ul style="list-style-type: none"> <li>Unregistered (unbuffered)</li> </ul> |
| Internal memory type                        | <ul style="list-style-type: none"> <li>DDR4-SDRAM</li> </ul>                |
| Memory slots                                | <ul style="list-style-type: none"> <li>4x DIMM</li> </ul>                   |

|  |                              |                                                                      |
|--|------------------------------|----------------------------------------------------------------------|
|  |                              |                                                                      |
|  | Memory layout (slots x size) | <ul style="list-style-type: none"><li>1 x 16 GB</li></ul>            |
|  | Network                      |                                                                      |
|  | Ethernet interface type      | <ul style="list-style-type: none"><li>Gigabit Ethernet</li></ul>     |
|  | Cabling technology           | <ul style="list-style-type: none"><li>10/100/1000Base-T(X)</li></ul> |
|  | LAN controller               | <ul style="list-style-type: none"><li>Broadcom 5720</li></ul>        |
|  | Processor                    |                                                                      |
|  | Processor cache              | <ul style="list-style-type: none"><li>8.00MB</li></ul>               |
|  | Processor manufacturer       | <ul style="list-style-type: none"><li>Intel</li></ul>                |
|  | Processor frequency          | <ul style="list-style-type: none"><li>2.80GHz</li></ul>              |
|  | Processor family             | <ul style="list-style-type: none"><li>Intel Xeon E</li></ul>         |
|  | Processor cores              | <ul style="list-style-type: none"><li>4</li></ul>                    |
|  | Processor boost frequency    | <ul style="list-style-type: none"><li>4.50GHz</li></ul>              |
|  | Processor model              | <ul style="list-style-type: none"><li>E-2314</li></ul>               |
|  | Processor threads            | <ul style="list-style-type: none"><li>4</li></ul>                    |
|  | Performance                  |                                                                      |
|  | Remote administration        | <ul style="list-style-type: none"><li>iDRAC9, Basic 15G</li></ul>    |