

**LAN SWITCH HP ARUBA INSTANT ON 1430 26G 2XSFP R8R50A**

Naziv: LAN SWITCH HP ARUBA INSTANT ON 1430 26G 2XSFP R8R50A

Slika:



Šifra: #BM296851732377801375

Barkod: 190017602646

Proizvođač: HP

**Detalji**

Kategorija: SVIČEVI

Oznake:

[Proveri dostupnost](#)

Atributi:

TIP UREĐAJA: 10/100/1000 MBPS  
POE: NE  
BROJ PORTOVA - LAN: 26  
MONTAŽA U RACK: DA  
MATERIJAL KUĆIŠTA: METAL  
SFP PORTOVI: DA**Cena**

Cena sa PDV:

22,968.00 RSD \*WEB CENA  
25,264.80 RSD \*Cena za odloženo web plaćanje**Ostalo**

Opis:

Basic data	
Item name	HPE Aruba Instant On 1430 26G 2SFP Switch (R8R50A)
Product symbol	R8R50A
Hierarchy by CATEGORY	<ul style="list-style-type: none"><li>Computers &amp; Peripherals</li><li>Networking</li><li>Networking Hardware</li><li>Network Switches</li></ul>
Hierarchy by MANUFACTURER	<ul style="list-style-type: none"><li>HPE</li></ul>
Package sizes (HxWxL)	115 x 335 x 520 mm
Weight gross	3,20 kg

Data transmission	
Packet buffer memory	<ul style="list-style-type: none"> <li>• 12.00 MB</li> </ul>
Latency (1 Gbps)	<ul style="list-style-type: none"> <li>• 2.9 <math>\mu</math>s</li> </ul>
Throughput	<ul style="list-style-type: none"> <li>• 41.68 Mpps</li> </ul>
Latency (10-100 Mbps)	<ul style="list-style-type: none"> <li>• 5.21 <math>\mu</math>s</li> </ul>
Switching capacity	<ul style="list-style-type: none"> <li>• 56.00 Gb/s</li> </ul>
MAC address table	<ul style="list-style-type: none"> <li>• 16384 entries</li> </ul>
Management features	
Switch type	<ul style="list-style-type: none"> <li>• Unmanaged</li> </ul>
Switch layer	<ul style="list-style-type: none"> <li>• L2</li> </ul>
Design	
Form factor	<ul style="list-style-type: none"> <li>• 1U</li> </ul>
Product color	<ul style="list-style-type: none"> <li>• White</li> </ul>
Network	
Networking standards	<ul style="list-style-type: none"> <li>• IEEE 802.3</li> <li>• IEEE 802.3ab</li> <li>• IEEE 802.3az</li> <li>• IEEE 802.3i</li> <li>• IEEE 802.3u</li> <li>• IEEE 802.3x</li> <li>• IEEE 802.3z</li> </ul>
Copper ethernet cabling technology	<ul style="list-style-type: none"> <li>• 10BASE-T, 10GBASE-TX, 1000BASE-T</li> </ul>
Ethernet LAN data rates	<ul style="list-style-type: none"> <li>• 10,100,1000 Mbit/s</li> </ul>
Performance	
Flash memory	<ul style="list-style-type: none"> <li>• 32.00 MB</li> </ul>
Ports & interfaces	
Basic switching RJ-45 Ethernet ports type	<ul style="list-style-type: none"> <li>• Gigabit Ethernet (10/100/1000)</li> </ul>
Weight & dimensions	

Weight	<ul style="list-style-type: none"><li>• 2250.00 gram</li></ul>
Height	<ul style="list-style-type: none"><li>• 44.00 millimeter</li></ul>
Width	<ul style="list-style-type: none"><li>• 386.00 millimeter</li></ul>
Depth	<ul style="list-style-type: none"><li>• 221.40 millimeter</li></ul>
Power	
Power source	<ul style="list-style-type: none"><li>• AC</li></ul>
AC input frequency	<ul style="list-style-type: none"><li>• 50 - 60 Hz</li></ul>
AC input voltage	<ul style="list-style-type: none"><li>• 100 - 240 V</li></ul>
Power consumption (max)	<ul style="list-style-type: none"><li>• 16.40 W</li></ul>