

LAN ROUTER TP-LINK TL-WR841N WIRELESS

Naziv: LAN ROUTER TP-LINK TL-WR841N WIRELESS

Slika:



Šifra: #BM4366901732377846514

Barkod: 6935364051242

Proizvođač: TP-LINK

Detalji

Kategorija: RUTERI

Oznake: NOVO

Atributi: TIP UREĐAJA: WIFI ROUTER
TIP ANTENE: EXTERNA
MESTO PRIMENE: INDOOR
POE: NE
BROJ PORTOVA: 5
4G/SIM SLOT: NE
USB PORT: NE
BRZINA PROTOKA: 300 MBPS - 750 MBPS
MESH: NE
FREKVENTNI OPSEG: 2.4 GHZ
REPEATER MODE: DA**Cena**Cena sa PDV: 2,940.00 RSD *WEB CENA
3,234.00 RSD *Cena za odloženo web plaćanje**Ostalo**

Opis:

| HARDWARE FEATURES | |
|------------------------------|---|
| Interface | 4 10/100Mbps LAN PORTS 1 10/100Mbps WAN PORT |
| Button | Quick Setup Security Button Reset Button |
| External Power Supply | 9VDC / 0.6A |
| Wireless Standards | IEEE 802.11n, IEEE 802.11g, IEEE 802.11b |
| Antenna | 2*5dBi Fixed Omni Directional Antenna |
| Dimensions (| 7.6 x 5.1 x 1.3 in.(192 x 130 x 33 |

| | |
|--------------------|-----|
| W x D x H) | mm) |
|--------------------|-----|

| WIRELESS FEATURES | |
|------------------------------|--|
| Frequency | 2.4-2.4835GHz |
| Signal Rate | 11n: Up to 300Mbps(dynamic) 11g: Up to 54Mbps(dynamic) 11b: Up to 11Mbps(dynamic) |
| EIRP | <20dBm(EIRP) |
| Reception Sensitivity | 270M: -68dBm@10% PER 130M: -68dBm@10% PER 108M: -68dBm@10% PER 54M: -68dBm@10% PER 11M: -85dBm@8% PER 6M: -88dBm@10% PER 1M: -90dBm@8% PER |
| Wireless Functions | Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics |
| Wireless | 64/128/152-bit WEP / WPA / WPA2, WPA-PSK / WPA2-PSK |

| SOFTWARE FEATURES | |
|---------------------------|---|
| WAN Type | Dynamic IP/Static IP/PPPoE/ PPTP/L2TP/BigPond |
| DHCP | Server, Client, DHCP Client List, Address Reservation |
| Quality of Service | WMM, Bandwidth Control |
| Port Forwarding | Virtual Server, Port Triggering, UPnP, DMZ |
| Dynamic DNS | DynDns, Comexe, NO-IP |
| VPN Pass-Through | PPTP, L2TP, IPSec (ESP Head) |
| Access Control | Parental Control, Local Management Control, Host List, Access Schedule, Rule Management |
| Firewall Security | DoS, SPI Firewall IP Address Filter/MAC Address Filter/Domain Filter IP and MAC Address Binding |
| Management | Access Control Local Management Remote Management |

| OTHERS | |
|----------------------------|---|
| Certification | CE, FCC, RoHS |
| Package Contents | Wireless N Router TL-WR841N Power supply unit Resource CD Quick Installation Guide |
| System Requirements | Microsoft® Windows® 98SE, NT, 2000, XP, Vista™ or Windows 7, MAC® OS, NetWare®, UNIX® or Linux. |
| | Operating Temperature: 0~40°C |

Environment

(32104)
Storage Temperature: -40?70?
(-40158)
Operating Humidity: 10%90%
non-condensing
Storage Humidity: 5%90% non-
condensing