

**RUTER MERCUSYS MW302R WIRELESS N 300MBPS**

Naziv: RUTER MERCUSYS MW302R WIRELESS N 300MBPS

Slika:



Šifra: #BM896901732378001770

Barkod: 6935364089351

Proizvođač: MERCUSYS

**Detalji**

Kategorija: RUTERI

Oznake: NOVO

Atributi: TIP UREĐAJA: WIFI ROUTER  
TIP ANTENE: EXTERNA  
MESTO PRIMENE: INDOOR  
POE: NE  
BROJ PORTOVA: 3  
4G/SIM SLOT: NE  
USB PORT: NE  
BRZINA PROTOKA: 300 MBPS - 750 MBPS  
MESH: NE  
FREKVENTNI OPSEG: 2.4 GHZ  
REPEATER MODE: DA**Cena**Cena sa PDV: 2,262.00 RSD \*WEB CENA  
2,488.20 RSD \*Cena za odloženo web plaćanje**Ostalo**

Opis:

<b>Ethernet Ports</b>	2*10/100Mbps LAN Ports & 1*10/100Mbps WAN Port
<b>Button</b>	Reset Button
<b>External Power Supply</b>	5V/0.6A
<b>Dimensions (W X D X H)</b>	114 mm × 94 mm × 26 mm

<b>Antenna Type</b>	2 * 5dBi
<b>Package Contents</b>	300Mbps Wireless N Router ( MW302R ) Power Adapter Quick Installation Guide Ethernet Cable
<b>Wireless Standards</b>	IEEE 802.11b/g/n
<b>Frequency</b>	2.4-2.4835GHz
<b>Signal Rate</b>	<ul style="list-style-type: none"> <li>• 11n: Up to 300Mbps (Dynamic)</li> <li>• 11g: Up to 54Mbps (Dynamic)</li> <li>• 11b: Up to 11Mbps (Dynamic)</li> </ul>
<b>Reception Sensitivity</b>	<ul style="list-style-type: none"> <li>• 270M: -73dBm@10% PER</li> <li>• 130M: -75dBm@10% PER</li> <li>• 54M: -77dBm@10% PER</li> <li>• 11M: -90dBm@10% PER</li> <li>• 6 M: -94dBm@10% PER</li> <li>• 1 M: -96dBm@10% PER</li> </ul>
<b>Wireless Functions</b>	Enable/Disable Wireless Radio, WDS Bridging
<b>Wireless Security</b>	WPA-PSK / WPA2-PSK
<b>WAN Type</b>	Dynamic IP/Static IP/PPPoE/PPTP/L2TP
<b>DHCP</b>	Server
<b>Port Forwarding</b>	Virtual Server, UPnP, DMZ
<b>Management</b>	Access Control, Local Management, Remote Management
<b>Firewall Security</b>	IP and MAC Address Binding
<b>Guest Network</b>	2.4GHz Guest Network
<b>Protocols</b>	IPv4, IPv6
<b>Environment</b>	<ul style="list-style-type: none"> <li>• Operating Temperature: 0°C~40°C (32°F~104°F)</li> <li>• Storage Temperature: -40°C~70°C (-40°F~158°F)</li> <li>• Operating Humidity: 10%~90%</li> </ul>

Non-Condensing  
• Storage Humidity: 5%~90% Non-Condensing

**Transmission Power**

<20dBm (EIRP)